

Jandy

MAXIMUM EFFICIENCY. MAXIMUM VALUE.

. . .





Upgrade to the value and performance you deserve

The VS FloPro[™] 1.65 HP is a full-featured variable-speed pump with the perfect balance of hydraulic performance and value. Featuring 115v/230v dual voltage compatibility and superior energy savings to replace single-speed pumps up to 1.5 HP.

• Fast, Simple, Full-Featured Control

Programming a pump has never been so fast and easy. The optional preinstalled SpeedSet[™] controller with Flywheel[™] Navigation makes pump setup and maintenance a breeze.

• 115v/230v Dual Voltage

Mains power rewiring is a thing of the past thanks to compatibility with both 115v and 230v power sources with equal hydraulic performance at either voltage.

• Easy to Drop In

Included adjustable base enables precise alignment with critical plumbing dimensions to easily replace popular Pentair[®] and Hayward[®] single-speed and variable-speed pumps.

• Filtration and More

Ideal for use as a filtration pump on small to medium-sized pools or water features.

• Lower Electricity Costs

Save over \$750 each year in energy costs!* The VS FloPro™ 1.65 offers impressive energy savings.

*Based on a 22,000 gallon pool with two turnovers per day at an energy cost of \$0.185/kWh vs. comparable single speed pumps; when tested in accordance with the applicable requirements of 10 CFR 429.

• Total Programmability

Compatible with all Jandy control systems for total programmability and customization:

- > SpeedSet[™] Controller (preinstalled option)
- > iQPUMP01 with iAquaLink® App Control
- Jandy AquaLink[®] Automation Systems

• Additional Features

- > Small footprint with a compact-sized wet end (23.75")
- > 2" unions included or utilize 2" internal threads
- Easy Controller Setup auto detects connection to an automation system or a traditional controller, eliminating the need to adjust settings manually
- > Tool-free lid for easy debris removal
- > Ergonomic easy-transport handle
- Totally Enclosed Fan Cooled Motor (TEFC) extends pump life

A Fluidra Brand | Jandy.com | 1.800.822.7933


MODELS

Model No.	Description
VSFHP165DVS	VS FloPro, 1.65 HP, SpeedSet Controller Preinstalled
VSFHP165DV	VS FloPro, 1.65 HP, Controller Sold Separately

SPECIFICATIONS

Model No.	THP	WEF ¹	Voltage	Max Watts	Amps	Union Size	Rec. Pipe Size ²	Weight
VSFHP165DV(S)	1.65	9.0 9.1	230 VAC 115 VAC	1700W	10.5 17.7	2"	1 1/2"-2"	39.3 lbs.


PERFORMANCE



ADJUSTABLE BASE CONFIGURATIONS³

Base	Fits	A Dimension	B Dimension		
No Base	Hayward® Super Pump® Pentair® SuperFlo® Sta-Rite® SuperMax®	7-3/4"	12-3/4"		
Small Base	Hayward® Super II™ Jandy® PlusHP and MaxHP Pumps	8-7/8"	13-7/8"		
Small Base w/ Spacers	Pentair WhisperFlo® and IntelliFlo® VSF, Sta-Rite Dyna Glas™	9-1/8"	14-1/8"		
Small Base + Large Base	Sta-Rite Max-E-Pro® Sta-Rite Dura-Glas® Sta-Rite Dura-Glas II Sta-Rite Max-E-Glas®	10-3/4"	15-3/4"		

DIMENSIONS



¹WEF = weighted energy factor in kgal/kWh. WEF is a performance-based metric adopted by the Department of Energy to characterize the energy performance of dedicated-purpose pool pumps Department of Energy 10 CFR Parts 429 and 431.

*Always follow local building and safety codes for pipe sizing and guidelines *Small base with spacers included with all FloPro pumps. Large base is optional part R0546400.



©2023 Zodiac Pool Systems LLC. All rights reserved. ZODIAC® is a registered trademark of Zodiac International, S.A.S.U., used under license. All other trademarks are the property of their respective owners. 51781.1_SL