


Versa Plumb[®] Kit **Installation Template** for use with Jandy[®] CV Filter




2620 Commerce Way, Vista, CA 92081 800-822-7933 www.zodiacpoolsystems.com ©2015 Zodiac Pool Systems, Inc.

JXiGAS LINE LOCATION

NOTE: THIS LOCATION ALLOWS FOR PROPER UNION, SHUT-OFF AND SEDIMENT TRAP/DRIP LBG INSTALLATION OUTSIDE OF HEATER JACKET **PER ANSI Z223.1**



SA6121 Rev /




Versa Plumb[®] Kit **Installation Template** for use with Jandy[®] CV Filter




2620 Commerce Way, Vista, CA 92081 800-822-7933 www.zodiacpoolsystems.com ©2015 Zodiac Pool Systems, Inc.

JXiGAS LINE LOCATION

NOTE: THIS LOCATION ALLOWS FOR PROPER UNION, SHUT-OFF AND SEDIMENT TRAP/DRIP LBG INSTALLATION OUTSIDE OF HEATER JACKET **PER ANSI Z223.1**



SA6126 Rev A



Versa Plumb[®] Kit **Installation Template** for use with Jandy[®] CV Filter



2620 Commerce Way, Vista, CA 92081 800-822-7933 www.zodiacpoolsystems.com ©2015 Zodiac Pool Systems, Inc.

NOTE: WHEN USING A LXI400, MOVE THE EQUIPMENT PAD 8-1/2" TO THE RIGHT. -


LXi250 GAS LINE LOCATION

NOTE: THIS LOCATION ALLOWS FOR PROPER UNION, SHUT-OFF AND SEDIMENT TRAP/DRIP LBG INSTALLATION OUTSIDE OF HEATER JACKET **PER ANSI Z223.1**



NOTE: WHEN USING A LXI400, EDGE OF HEATER MOVES 8-1/2" TO THE RIGHT.

NOTE: WHEN USING A LXI400, GAS LINE MOVES 8-1/2" TO THE RIGHT.



Versa Plumb[®] Kit Installation **Template for use** with Jandy® **CS Filter**



2620 Commerce Way, Vista, CA 92081 800-822-7933 www.zodiacpoolsystems.com ©2015 Zodiac Pool Systems, Inc.

EE2000T- EE2500T EE3000T

AWARNING

This template is for use in the installation of the Jandy[®] Versa Plumb[®] Kits only. In order to prevent risk of electrical shock, carbon monoxide poisoning, explosion, or fire, which could result in property damage, serious injury or death, installation and servicing of any pool equipment other than the Jandy Versa Plumb Kits must be done only by a licensed contractor who is licensed and qualified in pool equipment by the jurisdiction in which the product is installed where such state or local requirements exist. In the event no such state or local requirement exists, the service provider or maintainer must be a professional with sufficient experience in pool equipment service and maintenance so that all of the instructions in the specific product's manual can be followed exactly.

Before using template, read and follow all instructions contained in part number H0330900 Versa Plumb Kits Installation Instructions. For a copy of these instructions, call (800) 822-7933.